Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	09/891592 and attribut$	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/19 14:18
S1	665	455/522.ccls. and transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:13
S2	28	455/522.ccls. and accept$6 with transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:14
S3	2	455/522.ccls. and accept$6 with transmi$9 NEAR power NEAR level$3 with messag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:58
S4	6	455/522.ccls. and accept$6 with transmi$9 NEAR power NEAR level$3 and haartsen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:10
S5	212	455/522.ccls. and transmi$9 NEAR power NEAR level$3 and far and power with control$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:36
S6	5	455/522.ccls. and accept$6 with transmi$9 NEAR power NEAR level$3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:14
S7	27	455/522.ccls. and transmi$9 NEAR power NEAR level$3 and far and power with control$6 with distance$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:46
S8	0	455/522.ccls. and transmi$9 NEAR power NEAR level$3 and user$4 with defin$4 with event$4 and distance$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:43
S9	0	455/522.ccls. and user$4 with defin$4 with event$4 and distance$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:43

S10	1	455/522.ccls. and user$4 with defin$4 with event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:50
S11	11	455/522.ccls. and transmi$9 NEAR power NEAR level$3 and event$4 and power with control$6 with distance$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:49
S12	111	455/522.ccls. and transmi$9 and base and power with control$6 with distance$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:50
S13	0	S12 and user$4 with defin$4 with event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:50
S14	1	S12 and user$4 with event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:51
S15	14	S12 and event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:51
S16	1	455/522.ccls. and accept$6 with transmi$9 NEAR power NEAR level$3 with messag$4 with sen$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 14:58
S17	605	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:42
S18	173	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:47
S19	173	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:48

S20	144	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4 and level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:48
S21	91	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4 and level$2 and ring$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:49
S22	89	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4 and level$2 and ring$4 and memor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:49
S23	23	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4 and level$2 and ring$4 and volat$5 near memor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:49
S24	1	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4 and level$2 and ring$4 and stor$4 near volat$5 near memor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:59
S25	20	transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4 and level$2 and ring$4 and stor$4 WITH volat$5 near memor$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 14:51
S26	18	"6144848".URPN.	USPAT	OR	OFF	2003/11/05 14:56
S27	127	"455"/$.ccls. and transmi$8 near messag$5 and user near event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 09:31
S28	4	"455"/$.ccls. and transmi$8 near messag$5 and user near event$4 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 16:20
S29	2	455/445.ccls. and transmi$8 near messag$5 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:33

S30	2	wo-9741654-$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 15:20
S31	0	"9741654".URPN.	USPAT	OR	OFF	2003/11/05 15:20
S32	0	"455"/$.ccls. and tsoukas	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 15:24
S33	2	"6219694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 15:24
S34	17	"6219694".URPN.	USPAT	OR	OFF	2003/11/06 11:34
S35	4	"455"/$.ccls. and "6219694".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 16:20
S36	0	"6480711".URPN.	USPAT	OR	OFF	2003/11/05 16:23
S37	0	"6487602".URPN.	USPAT	OR	OFF	2005/11/15 08:57
S38	10	("5742668" | "5742905" | "6067451" | "6185288" | "6219694" | "6353661" | "6404880" | "6411632" | "6421707" | "6426955").PN.	USPAT	OR	OFF	2003/11/05 16:31
S39	63	455/445.ccls. and transmi$8 near messag$5 and date$3 and tim$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 16:42
S40	30	455/445.ccls. and transmi$8 near messag$5 and date$3 near tim$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 16:42
S41	44	455/445.ccls. and transmi$8 near messag$5 and date$3 and tim$4 and event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 16:43
S42	23	455/445.ccls. and transmi$8 near messag$5 and date$3 near tim$4 and event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:11
S43	0	"6549768".URPN.	USPAT	OR	OFF	2003/11/05 17:04

S44	4	("5086394" | "5832381" | "5918181" | "6052122").PN.	USPAT	OR	OFF	2003/11/05 17:04
S45	6	455/445.ccls. and transmi$8 near messag$5 and date$3 near tim$4 and event$3 and secur$4 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:12
S46	6	455/445.ccls. and transmi$8 near messag$5 and date$3 near tim$4 and event$3 and secur$4 and power and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:12
S47	5	455/445.ccls. and transmi$8 near messag$5 and date$3 near tim$4 and event$3 and secur$4 and power and memory and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:12
S48	5	455/445.ccls. and transmi$8 near messag$5 and date$3 near tim$4 and event$3 and secur$4 and power and memory and processor and anten$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:38
S49	7	455/445.ccls. and transmi$8 near messag$5 and date$3 AND tim$4 and cost$2 and rate$2 and event$3 and secur$4 and power and memory and processor and anten$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:35
S50	94	real near time and roam$4 and qos and power and cost$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:36
S51	70	real near time and roam$4 and qos and power and cost$3 and processor and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:37
S52	53	real near time and roam$4 and qos and power and cost$3 and processor and memory and event$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:37
S53	2	real near time and roam$4 and qos and power and cost$3 and processor and memory and user near event$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:37
S54	0	455/445.ccls. and (real near time and roam$4 and qos and power and cost$3 and processor and memory and event$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:38

S55	4	"455"/$.ccls. and (real near time and roam$4 and qos and power and cost$3 and processor and memory and event$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/05 17:38
S56	1	455/445.ccls. and transmi$8 near messag$5 and user near event$4 and base and pstn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:03
S57	6	"5557606".URPN.	USPAT	OR	OFF	2003/11/06 09:34
S58	1	455/445.ccls. and "5557606".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 09:55
S59	4	"6052591".URPN.	USPAT	OR	OFF	2003/11/06 09:43
S60	18	("4696051" | "4968966" | "5128934" | "5131020" | "5159701" | "5241305" | "5255308" | "5260986" | "5369682" | "5404571" | "5450405" | "5550896" | "5557606" | "5596315" | "5615267" | "5619552" | "5724658" | "5742668"). PN.	USPAT	OR	OFF	2003/11/06 09:51
S61	140	"455"/$.ccls. and time near sensitive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 09:55
S62	21	"455"/$.ccls. and time near sensitive and press	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 09:56
S63	1	"455"/$.ccls. and time near sensitive and press and time and day and (quality or qos) and power and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:03
S64	0	"455"/$.ccls. and time near sensitive and press and time and day and (quality or qos) and power and cost$2455/445.ccls. and transmi$8 near messag$5 and user near event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:04
S65	0	"455"/$.ccls. and time near sensitive and press and time and day and (quality or qos) and power and cost$2455/445.ccls. and transmi$8 near messag$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:04

S66	0	"455"/$.ccls. and time near sensitive and time and day and (quality or qos) and power and cost$2455/445.ccls. and transmi$8 near messag$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:04
S67	16	"455"/$.ccls. and time near sensitive and time and day and (quality or qos) and power and cost$2 and transmi$8 near messag$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:04
S68	1	"455"/$.ccls. and time near sensitive and time and day and (quality or qos) and power and cost$2 and transmi$8 near messag$5 and press	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:05
S69	31	"455"/$.ccls. and transmi$8 near messag$5 and press near release$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:06
S70	0	"455"/$.ccls. and transmi$8 near messag$5 and press near release$5 and time near sensitive and time and day and (quality or qos) and power and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:06
S71	2	"455"/$.ccls. and transmi$8 near messag$5 and press near release$5 and time and day and (quality or qos) and power and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:13
S72	0	"455"/$.ccls. and wireless near transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and ring$4 near function$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:14
S73	0	"455"/$.ccls. and wireless near transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and ring$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:14
S74	2	"455"/$.ccls. and wireless near transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:17
S75	44	"455"/$.ccls. and transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and memory and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:18

S76	43	"455"/$.ccls. and transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and memory and processor and level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:18
S77	0	"455"/$.ccls. and transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and memory and processor and level$3 and user near event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:19
S78	39	"455"/$.ccls. and transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and memory and processor and level$3 and event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:19
S79	13	"455"/$.ccls. and transmi$8 near messag$5 and time near day and (quality or qos) and power and cost$2 and secur$4 and memory and processor and level$3 and user SAME event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:11
S80	0	"455"/$.ccls. and transmi$8 near messag$5 and time near day and ((quality with service) or qos) and (low$5 near power near level$2) and cost$2 and secur$4 and memory and processor and level$3 and user SAME event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:40
S81	0	transmi$8 near messag$5 and time near day and ((quality with service) or qos) and (low$5 near power near level$2) and cost$2 and secur$4 and memory and processor and level$3 and user SAME event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:40
S82	0	"455"/$.ccls. and transmi$8 near messag$5 and time near day and ((quality with service) or qos) and (power near level$2) and cost$2 and secur$4 and memory and processor and level$3 and user SAME event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:40
S83	1	"455"/$.ccls. and transmi$8 near messag$5 and time near day and ((quality with service) or qos) and (power) and cost$2 and secur$4 and memory and processor and level$3 and user SAME event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:55
S84	158	"5754939".URPN.	USPAT	OR	OFF	2003/11/06 10:43

S85	1	"455"/$.ccls. and "5754939".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:43
S86	1	device near transmi$8 near messag$5 and time near day and ((quality with service) or qos) and (power) and cost$2 and secur$4 and memory and processor and level$3 and user SAME event$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 10:55
S87	2	"455"/$.ccls. and user near defin$5 near transmi$8 near messag$5 and (schedul$4 or time or day)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:16
S88	5	event$4 and user near defin$5 near transmi$8 near messag$5 and (schedul$4 or time or day)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:18
S89	3	event$4 and user near defin$5 near transmi$8 near messag$5 and (schedul$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:36
S90	0	"6219694".URPN. and transmi$8 near messag$5 and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:33
S91	0	"6219694".URPN. and date$3 and tim$4 and qualit$4 and cost$3 and power and securit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:33
S92	17	"6219694".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:36
S93	2	"6219694".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:15

S94	45	("5313582" | "5392390" | "5416473" | "5416842" | "5436960" | "5438611" | "5479472" | "5487100" | "5495484" | "5603054" | "5613108" | "5625670" | "5631946" | "5641946" | "5666553" | "5673322" | "5706211" | "5737531" | "5745689" | "5751960" | "5754954" | "5790974" | "5819172" | "5819284" | "5838252" | "5889845" | "5941954" | "5941956" | "5948066" | "5964833" | "5978837" | "5987508" | "5995597" | "6018762" | "6023700" | "6035104" | "6052563" | "6073165" | "6084969" | "6085231" | "6128739" | "6134432" | "6138146" | "6144671" | "6154839").PN.	USPAT	OR	OFF	2003/11/06 11:36
S95	1	(("5313582" | "5392390" | "5416473" | "5416842" | "5436960" | "5438611" | "5479472" | "5487100" | "5495484" | "5603054" | "5613108" | "5625670" | "5631946" | "5641946" | "5666553" | "5673322" | "5706211" | "5737531" | "5745689" | "5751960" | "5754954" | "5790974" | "5819172" | "5819284" | "5838252" | "5889845" | "5941954" | "5941956" | "5948066" | "5964833" | "5978837" | "5987508" | "5995597" | "6018762" | "6023700" | "6035104" | "6052563" | "6073165" | "6084969" | "6085231" | "6128739" | "6134432" | "6138146" | "6144671" | "6154839").PN.) and user near defin$5 near transmi$8 near messag$5 and (schedul$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:32
S96	2	"6549768".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 11:39
S97	4	("5086394" | "5832381" | "5918181" | "6052122").PN.	USPAT	OR	OFF	2003/11/06 11:39
S98	0	"6219694".PN. and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:18
S99	0	"6219694".PN. and cost$4 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:19

S100	1	"6219694".PN. and cost$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:29
S101	0	(user near defin$5 near transmi$8 near messag$5 and (schedul$4)) and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:18
S102	0	(user near defin$5 near transmi$8 near messag$5 and (schedul$4)) and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:19
S103	0	(user near defin$5 near transmi$8 near messag$5 and (schedul$4)) and cost$4 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:33
S104	3	user near defin$5 near transmi$8 near messag$5 and (schedul$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:19
S105	1	user near defin$5 near transmi$8 near messag$5 and (schedul$4 or day or date or time) and sens$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:24
S106	3	"455"/$.ccls. and user near defin$5 near transmi$8 near messag$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:31
S107	0	"6052591".PN. and cost$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:29
S108	0	"6052591".PN. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:29
S109	18	"455"/$.ccls. and user near defin$5 near event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:56

S11 0	3	("455"/$.ccls. and user near defin$5 near event$4) and (schedul$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:36
S11 1	0	(("455"/$.ccls. and user near defin$5 near event$4) and (schedul$4)) and cost$4 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:33
S11 2	18	("455"/$.ccls. and user near defin$5 near event$4) and (schedul$4 or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:46
S11 3	10	("455"/$.ccls. and user near defin$5 near event$4) and (schedul$4 or time) and secur$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:46
S11 4	0	"6389457".URPN.	USPAT	OR	OFF	2003/11/06 12:49

S11 5	109	("5086502" | "5159592" | "5313582" | "5392390" | "5410543" | "5416473" | "5416842" | "5436960" | "5438611" | "5452356" | "5479472" | "5487100" | "5493692" | "5495484" | "5572528" | "5579472" | "5588009" | "5598536" | "5603054" | "5604788" | "5625670" | "5627829" | "5630060" | "5631946" | "5633810" | "5638450" | "5666553" | "5673322" | "5706211" | "5727202" | "5729735" | "5737531" | "5742905" | "5745689" | "5751960" | "5751971" | "5754954" | "5757901" | "5761416" | "5765170" | "5781614" | "5781901" | "5790790" | "5790974" | "5812819" | "5813016" | "5819172" | "5819284" | "5822434" | "5826062" | "5838252" | "5838926" | "5844969" | "5867660" | "5878434" | "5889845" | "5903723" | "5905777" | "5913040" | "5937161" | "5941956" | "5948066" | "5953322" | "5961590" | "5964833" | "5974180" | "5974238" | "5978837" | "5983073" | "5987508" | "5995597" | "6000000" | "6006274" | "6014429" | "6018762" | "6023700" | "6034621" | "6035104" | "6052563" | "6052735" | "6058431" | "6073165" | "6084969" | "6085231" | "6085232" | "6091951" | "6092114" | "6092191" | "6101531" | "6115394" | "6115736" | "6125281" | "6128739" | "6130892" | "6134432" | "6138146" | "6141690" | "6144671" | "6154839" | "6157950" | "6163274" | "6167379" | "6240088" | "6249820" | "6256666" | "6272545" | "6275848" | "6275850" | "0001552" | "2001-0029531").PN.	USPAT	OR	OFF	2003/11/06 12:49
S11 6	0	"455"/$.ccls. and user near defin$5 near event$4 NEAR transmit$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:57
S11 7	17	"455"/$.ccls. and user near defin$5 near event$4 AND transmit$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:57
S11 8	0	"455"/$.ccls. and user near defin$5 near event$4 AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:03

S11 9	0	user near defin$5 near event$4 AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:58
S12 0	13	user near defin$5 near (event$4 or messag$7) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:59
S12 1	0	"455"/$.ccls. and user near defin$5 near (event$4 or messag$7) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 12:59
S12 2	14	"455"/$.ccls. and user WITH defin$5 WITH (event$4 or messag$9) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:37
S12 3	192689	real near time deliver$5 near content$4 and user WITH defin$5 WITH (event$4 or messag$9) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:38
S12 4	4403	"455"/$.ccls. and real near time deliver$5 near content$4 and user WITH defin$5 WITH (event$4 or messag$9) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:38
S12 5	0	"455"/$.ccls. and real near time near deliver$5 near content$4 and user WITH defin$5 WITH (event$4 or messag$9) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:39
S12 6	0	real near time near deliver$5 near content$4 and user WITH defin$5 WITH (event$4 or messag$9) AND transmit$8 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:39
S12 7	1	"455"/$.ccls. and real near time near deliver$5 near content$4 and user WITH defin$5 WITH (event$4 or messag$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:41
S12 8	1	real near time near deliver$5 near content$4 and user WITH defin$5 WITH (event$4 or messag$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:40

S12 9	1	"455"/$.ccls. and real near time near deliver$5 near content$4 and user WITH defin$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:41
S13 0	1	"455"/$.ccls. and real near time near deliver$5 near content$4 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:41
S13 1	2	"455"/$.ccls. and real near time near deliver$5 near content$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:42
S13 2	19	"455"/$.ccls. and real WITH time WITH deliver$5 WITH content$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:43
S13 3	7	"455"/$.ccls. and real WITH time WITH deliver$5 WITH content$4 and user with defin$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:01
S13 4	3	"455"/$.ccls. and real WITH time WITH deliver$5 WITH content$4 and user with defin$4 with (messag$5 or event$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:50
S13 5	1	"455"/$.ccls. and real WITH time WITH deliver$5 and roam$4 and qos and power and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:54
S13 6	1	user with defin$4 with (messag$5 or event$2) and real WITH time WITH deliver$5 and roam$4 and qos and power and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 13:57
S13 7	1	"20030005066".pn. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:15
S13 8	7	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and real WITH time WITH deliver$5 and user with defin$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:06

S13 9	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and real WITH time WITH deliver$5 and user with defin$4 and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:06
S14 0	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$9 or event$4) and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:44
S14 1	87	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$9 or event$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:08
S14 2	29	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$9 or event$4) and real	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:08
S14 3	13	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$9 or event$4) and real and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:08
S14 4	7	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$9 or event$4) and real and cost$2 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:18
S14 5	2	"20030005066".pn. and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:42
S14 6	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and qos near cos near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:19
S14 7	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and qos WITH cos WITH level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:19
S14 8	21	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and qos WITH level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:20

S149	2	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and qos WITH level and cos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:20
S150	1	"20030005066".pn. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:52
S151	0	"20030005066".pn. and base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:09
S152	2	"5742905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 14:58
S153	0	"20030005066".pn. and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:09
S154	2	"20030005066".pn. and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:17
S155	0	"20030005066".pn. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:26
S156	1	"20030032409".pn. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:18
S157	0	"20030032409".pn. and security with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:19
S158	0	"20030032409".pn. and security SAME level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:19

S159	1	"20030032409".pn. and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:27
S160	0	"20030005066".pn. and antenn$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:26
S161	1	"20030032409".pn. and antenn$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:31
S162	0	"20030032409".pn. and qos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:31
S163	1	"20030032409".pn. and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:31
S164	475	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with power with level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:45
S165	3	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with power with level$3 and stab$9 with power with suppl$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:24
S166	2	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and ring$4 and transmi$9 with power with level$3 and stab$9 with power with suppl$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:58
S167	211	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:25
S168	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and acceptable NEAR transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:25

S169	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and accept$5 NEAR transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:25
S170	70	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and event and transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:26
S171	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and event and base NEAR transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:38
S172	22	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and event and base with transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:27
S173	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:39
S174	70	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base WITH transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:39
S175	44	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR5 transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 16:39
S176	4	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR2 transmi$9 NEAR power NEAR level$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 17:15
S177	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR5 transmi$9 NEAR power NEAR level$3 near3 message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 17:16
S178	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR5 transmi$9 NEAR power NEAR level$3 near5 message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 17:16

S17 9	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR5 transmi$9 NEAR power NEAR level$3 WITH message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 17:16
S18 0	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and base NEAR5 transmi$9 NEAR power NEAR level$3 WITH message$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 17:17
S18 1	12	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 NEAR power NEAR level$3 WITH message$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 17:17
S18 2	1887	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:49
S18 3	486	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) and (qos or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:31
S18 4	476	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) and (qos or quality) and (time or date or day or schedul$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:25
S18 5	137	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) and (qos or quality) and (time or date or day or schedul$4) and power with level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:26
S18 6	2	(455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) and (qos or quality) and (time or date or day or schedul$4) and power with level$4) and security with level$4 and cost$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:27
S18 7	1	(455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 defin$4 with (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2))) and security with level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:32

S188	14	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 defin$4 with (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:31
S189	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and security near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:47
S190	9	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user with defin$4 with (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:07
S191	9	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near3 defin$4 near3 (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:56
S192	13	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near defin$4 near (messag$4 or event$2 or content$4 or info$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:55
S193	1	(455/445,414.2,414.3,466,406-408, 410-411,458,567,450,452,507,509, 517.ccls. and user near defin$4 near (messag$4 or event$2 or content$4 or info$8)) and (qos or (quality with service$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 08:56
S194	26	455/445,414.2,414.3,466,406-408, 410-411,458,567,450,452,507,509, 517.ccls. and user near defin$4 near (messag$4 or event$2 or content$4 or info$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:09
S195	121	user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:08
S196	0	user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) near level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:08
S197	12	user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and security near level$4 and cost$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:09

S19 8	1	455/445,414.2,414.3,466,406–408, 410–411,458,567,450,452,507,509, 517.ccls. and (user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and security near level$4 and cost$3 and power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:09
S19 9	1	"455"/$.ccls. and (user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and security near level$4 and cost$3 and power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:10
S20 0	12	user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and security near level$4 and cost$3 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:10
S20 1	15	user NEAR defin$4 NEAR (messag$4 or event$2 or content$4 or info$8) and (qos or (quality with service$2)) and security near level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:11
S20 2	13	("4706272" | "4910510" | "5303297" | "5376931" | "5579535" | "5594739" | "5610972" | "5845211" | "5974308" | "5978669" | "5991378" | "6088431" | "6101379").PN.	USPAT	OR	OFF	2003/11/07 09:16
S20 3	3	("5495484" | "5991292" | "6002689"). PN.	USPAT	OR	OFF	2003/11/07 09:27
S20 4	7	455/406–408,410–411,458,567,450, 452,507,509,517.ccls. and user near defin$4 near (messag$4 or event$2 or content$4 or info$8) and (date and time or (schedul$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:24
S20 5	1	"6556826".pn. and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:58
S20 6	0	"6556826".pn. and volatile$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:58
S20 7	0	"6556826".pn. and (rom or ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 09:59

S208	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near defin$4 near (messag$4 or event$2 or content$4 or info$8) and prepar$4 with messag$4 with transmi$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:32
S209	548	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and power near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:26
S210	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and acceptable near power near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:37
S211	10	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near defin$4 near (messag$4 or event$2 or content$4 or info$8) and communication with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:32
S212	211	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 near power near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:38
S213	14	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 near power near level$2 with messag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:09
S214	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 near security near level$2 with messag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:54
S215	6	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and security near level$2 with messag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:57
S216	104	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and security near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 10:57
S217	15	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with security near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:06

S21 8	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and coupl$4 with stabl$4 with power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:07
S21 9	530	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:07
S22 0	6	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and (wall or jack) with power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:08
S22 1	12	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with messag$4 with power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:13
S22 2	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with messag$4 with wall with power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:13
S22 3	2	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with messag$4 and wall with power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:18
S22 4	4	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and messag$4 and (stable or wall) with power with supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:29
S22 5	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and lele	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:31
S22 6	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and lele and ring$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:31
S22 7	35	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:32

S22 8	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transm$4 with message$4 with disabl$4 with ring$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:32
S22 9	6	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transm$4 with disabl$4 with ring$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:36
S23 0	35	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:44
S23 1	8	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5 with function$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:44
S23 2	13	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5 with (function$4 or mode$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:45
S23 3	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5 with (function$4 or mode$3) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:45
S23 4	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5 with (function$4 or mode$3) with (data$2 or messag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:54
S23 5	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and disabl$4 with ring$5 with (function$4 or mode$3) with receiver$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 12:03
S23 6	10	disabl$4 with ring$5 with (function$4 or mode$3) with receiver$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 11:59
S23 7	928	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and ((non with volatil$4) or rom or ram) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 12:04

S23 8	60	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and stor$4 with messag$4 with ((non with volatil$4) or rom or ram) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 12:04
S23 9	8	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and devic$4 with stor$4 with messag$4 with ((non with volatil$4) or rom or ram) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:23
S24 0	1344	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$8 with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:45
S24 1	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$8 with from with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:49
S24 2	0	transmi$8 with from with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:46
S24 3	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and 'transmitting a message from a portable communication device'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:48
S24 4	0	'transmitting a message from a portable communication device'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:48
S24 5	0	"transmitting a message from a portable communication device"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:49
S24 6	414	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 13:50
S24 7	46	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and transmi$9 with message$4 with user near5 (messag$4 or event$2 or content$4 or info$8) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 16:10

S248	2	"5937037".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:48
S249	104	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and security near level$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 16:11
S250	6	(455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) and (qos or quality) and (time or date or day or schedul$4) and power with level$4) and security with level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:21
S251	2	(455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near5 (messag$4 or event$2 or content$4 or info$8) and (qos or quality) and (time or date or day or schedul$4) and power with level$4) and security NEAR level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/07 16:12
S252	0	US006487602B1.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:31
S253	0	US006487602.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:31
S254	2	"6487602".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:32
S255	3	"6556826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:32
S256	2	"6078815".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:33

S257	2	"6205321".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:33
S258	2	"6185433".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:34
S259	2	"20020072390".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 12:36
S260	2	"6621895".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/10 11:35
S261	0	"6556826".URPN.	USPAT	OR	OFF	2005/11/15 09:02
S262	3	("5495484" | "5991292" | "6002689").PN.	USPAT	OR	OFF	2003/11/12 09:53
S263	136	"5465401".URPN.	USPAT	OR	OFF	2003/11/12 09:57
S264	30	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near defin$6 near5 (messag$4 or event$2 or content$4 or info$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:45
S265	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and user near defin$6 near5 (messag$4 or event$2 or content$4 or info$8) and @pd<"06252001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:24
S266	9	"5835856".URPN.	USPAT	OR	OFF	2003/11/12 10:33
S267	18	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and bhatia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:49
S268	0	"bhatia et al."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:48

S269	0	'bhatia et "al."'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:48
S270	0	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and bhatia with "al."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 10:50
S271	1	"9052591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:29
S272	2	"6052591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 11:31
S273	0	"6138002".pn. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 12:37
S274	0	"5835856".pn. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 12:36
S275	1	"5465401".pn. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 12:36
S276	1	"5465401".pn. and power with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 11:31
S277	0	"5835856".pn. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 12:36
S278	0	"6138002".pn. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 12:37

S27 9	2	"5465401".pn. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/12 12:37
S28 0	1409	user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:24
S28 1	580	user$4 near4 defin$6 near4 event$4 and secur$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:05
S28 2	170	user$4 near4 defin$6 near4 event$4 and secur$6 and qualit$6 and power$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:05
S28 3	143	user$4 near4 defin$6 near4 event$4 and secur$6 and qualit$6 and power$4 and cost$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:06
S28 4	137	user$4 near4 defin$6 near4 event$4 and secur$6 and qualit$6 and power$4 and cost$4 and level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:06
S28 5	1	"455"/$.ccls. and user$4 near4 defin$6 near4 event$4 and secur$6 and qualit$6 and power$4 and cost$4 and level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:41
S28 6	4	455/445.ccls. and user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:18
S28 7	0	455/445,414$4.ccls. and user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:10
S28 8	10	455/445,414.1-414.4.ccls. and user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 14:11

S28 9	8	455/445,414.1–414.4.ccls. and user$4 near defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:14
S29 0	8	455/445.ccls. and real near estat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:30
S29 1	0	455/445.ccls. and john with nguyen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:31
S29 2	2	"455"/$.ccls. and john with nguyen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:30
S29 3	3	455/445.ccls. and joy with contee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 12:43
S29 4	21	455/445.ccls. and kennedy with III	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:17
S29 5	0	2003/0050070	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:17
S29 6	2	"20030050070"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:18
S29 7	56	transmi$8 with user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:24
S29 8	8	transmi$8 with occur$8 with user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:28

S29 9	8	transmi$8 with (occur$8 or trigger$6) with user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:40
S30 0	255	power and secur$6 and user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:40
S30 1	8	"455"/$.ccls. and (power and secur$6 and user$4 near4 defin$6 near4 event$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:51
S30 2	2	wo-9741654-$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 13:51
S30 3	13	455/445,414.1-414.4,412.1-412.2.ccls. and user$4 near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 17:06
S30 4	13	455/445,414.1-414.4,412.1-412.2.ccls. and (user$4 or customer$4) near4 defin$6 near4 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 17:10
S30 5	4	"455"/$.ccls. and (user$4 or customer$4) near4 defin$6 near4 event$4 and power$4 near level$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 17:25
S30 6	10	"455"/$.ccls. and (user$4 or customer$4) near4 defin$6 near4 event$4 and encrypt$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 17:26
S30 7	4	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and premium near2 rat$4 near2 sms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:44
S30 8	7	premium near2 rat$4 near2 sms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:23
S30 9	1	"6487602".PN.	USPAT	OR	OFF	2005/06/06 09:26

S31 0	3	"6556826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:29
S31 1	3	cost$8 near2 level$5 and user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:44
S31 2	401	cost$8 and user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:10
S31 3	1	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and S312	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:45
S31 4	45	attribut$6 same user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:11
S31 5	18	attribut$6 same user near2 defin$6 near2 event$4 and cost$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:42
S31 6	29	attribut$6 same user near2 defin$6 near2 event$4 and securit$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:39
S31 7	0	ring$6 near2 funct$6 same user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:40
S31 8	7	ring$6 same user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:56
S31 9	0	attribut$6 same user near2 defin$6 near2 event$4 and ring$4 near2 function$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:42

S32 0	3	user near2 defin$6 near2 event$4 and ring$4 near2 function$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:43
S32 1	121	disabl$6 same ring$4 near2 function$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:44
S32 2	43	disabl$6 same ring$4 near2 function$4 same receiv$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:45
S32 3	16	disabl$6 near4 ring$4 near2 function$4 same receiv$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:53
S32 4	3	455/406-408,410-411,458,567,450, 452,507,509,517.ccls. and S321	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:48
S32 5	4	disabl$6 near4 ring$4 near2 function$4 same wireless$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:54
S32 6	13	disabl$6 near4 ring$4 near2 function$4 same messag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:54
S32 7	33	power$6 same user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 12:04
S32 8	24	power$6 near2 level$4 and user near2 defin$6 near2 event$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 12:05
S32 9	2	"6205321".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 12:36

S33 0	66	455/426.1.ccls. and user$4 near2 defin$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 08:40
S33 1	0	455/426.1.ccls. and user$4 near2 defin$6 same event$4 same attribut$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 08:41
S33 2	5	455/426.1.ccls. and user$4 near2 defin$6 same event$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 08:54
S33 3	702	messag$4 same transmi$6 same devic$4 and user$4 near2 defin$6 same event$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 08:55
S33 4	0	messag$4 same transmi$6 same from same devic$4 and user$4 near2 defin$6 same event$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 08:56
S33 5	122	messag$4 same transmi$6 same devic$4 same user$4 near2 defin$6 same event$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:23
S33 6	54	messag$4 same transmi$6 same devic$4 same user$4 near2 defin$6 same event$4 same occur$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 08:57
S33 7	1	"6487602".PN.	USPAT	OR	OFF	2005/11/15 08:57
S33 8	1	"6556826".PN.	USPAT	OR	OFF	2005/11/15 09:02
S33 9	30	messag$4 same transmi$6 same associat$4 same user$4 near2 defin$6 same event$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:24

| S34 0 | 206 | ("20010001552" \| "20010015977" \| "20010029531" \| "20010040693" \| "20010042093" \| "20010045885" \| "20010054072" \| "20020059380" \| "4106060" \| "4417349" \| "4438433" \| "4558454" \| "4644351" \| "4695880" \| "4697281" \| "4713780" \| "4768087" \| "4837798" \| "4837800" \| "4845658" \| "4856047" \| "4928096" \| "4951044" \| "4972457" \| "4980907" \| "5008926" \| "5043721" \| "5068916" \| "5086502" \| "5125021" \| "5127041" \| "5128981" \| "5136291" \| "5157660" \| "5159592" \| "5177680" \| "5181200" \| "5210785" \| "5265033" \| "5283887" \| "5293250" \| "5299255" \| "5307059" \| "5313582" \| "5315635" \| "5333152" \| "5333266" \| "5370566" \| "5392390" \| "5406557" \| "5410543" \| "5416473" \| "5436960" \| "5438611" \| "5452356" \| "5479472" \| "5493692" \| "5495484" \| "5548789" \| "5559800" \| "5572528" \| "5579472" \| "5588009" \| "5598536" \| "5603054" \| "5604491" \| "5604788" \| "5625670" \| "5627829" \| "5630060" \| "5631946" \| "5633810" \| "5638450" \| "5666530" \| "5666553" \| "5673322" \| "5701423" \| "5705995" \| "5727202" \| "5729735" \| "5737531" \| "5742905" \| "5751971" \| "5754954" \| "5757901" \| "5758088" \| "5758150" \| "5761416" \| "5764639" \| "5764899" \| "5765170" \| "5771353" \| "5781614" \| "5781901" \| "5790790" \| "5790974" \| "5796806" \| "5812671" \| "5812773" \| "5812819" \| "5813016" \| "5815081" \| "5819172" \| "5819284" \| "5822434" \| "5826062" \| "5838926" \| "5844969" \| "5850219" \| "5850444" \| "5862321" \| "5867660" \| "5878434" \| "5881235" \| "5903723" \| "5905777" \| "5917629" \| "5928329" \| "5937161" \| "5943426" \| "5951636" \| "5953322"). PN. OR ("5958006" \| "5961590" \| "5966663" \| "5968131" \| "5969636" \| "5973612" \| "5974180" \| "5974238" \| "5978689" \| "5978837" \| "5983073" \| "5987100" \| "5995597" \| "6000000" \| "6006274" \| "6009173" \| "6014429" \| "6023700" \| "6023708" \| "6034621" \| "6052442" \| "6052563" \| "6052735" \| "6058431" \| "6067561" \| "6072862" \| "6073137" \| "6073165" \| "6078826" \| "6085192" \| "6085232" \| "6091951" \| "6092114" \| "6092191" \| "6101531" \| "6112244" \| "6115394" \| "6115736" \| "6115754" \| "6125281" \| "6125369" \| "6130892" \| "6131096" \| "6131116" \| "6141690" \| "6144997" \| "6151606" \| "6157318" \| "6157630" \| "6157950" \| "6163274" \| "6167379" \| "6170057" \| "6178331" \| "6185551" \| "6185603" | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/15 09:36 |

S34 1	1	09/891592		US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/19 14:18